

# DECLARATION OF PERFORMANCE

SalzXL2-CRP-2013/11/15-GB



## PRODUCT

Product type	Slow heat release appliance
Type designation	Salzburg XL+2
Product identification	See product instruction manual
Intended area of use	Heating of rooms in residential buildings
Fuel	Wood

## MANUFACTURER

Name	Nordpeis AS
Address	Gjellebekkstubben 11 3420 Lierskogen, Norway

## CHECKS

According to AVCP	System 3
Standard	EN 15250:2007
Test institute	Rein-Ruhr Feuerstatätten Prüfstelle, NB 1625 has checked declared performance and issued test report no. RRF- 50 12 2970

## DECLARED PERFORMANCE

Essential Characteristic	Performance	Harmonized technical specification
Reaction to fire	A1 WT	EN 15250:2007
Minimum distances to combustible material	50 mm rear 150 mm side other safety distances according product manual	
Risk of falling embers	Approved	
Emission from combustion: Carbon monoxide at 13% O <sub>2</sub> Oxygen nitride NO <sub>x</sub> at 13% O <sub>2</sub> Organic Gaseous Carbon at 13% O <sub>2</sub> Particulate Matter at 13 O <sub>2</sub>	CO = 0,100 % Vol NO <sub>x</sub> = 111 mg / m <sup>3</sup> OGC = 98 mg / m <sup>3</sup> PM = 24 mg / m <sup>3</sup>	
Surface temperatures	Approved	
Cleanability	Approved	
Mechanical durability	Approved	
Releases of Hazardous Substances	Approved	
Nominal output after elapsed time at 25% of max. mean temperature	P = 4,30 kW	
Flue gas temperature at nominal output	t <sub>a</sub> = 110 °C	
Energy efficiency	η = 90,5 %	

The undersigned is responsible for the manufacture and conformity with declared performance

Stian Varre, CEO Nordpeis AS